

Determining the risk of physical overload of healthcare workers

TilThermometer

Explanation of the Mobility classes



STAG


A+O
WVT

StAZ
Stichting
Arbeidsmarkt
Ziekenhuizen

H
EPSU
EUROPEAN PUBLIC SERVICE UNION

Hanneke JJ Knibbe Msc, RPT
Human Movement Scientist, Physiotherapist
Nico E Knibbe Msc.
Human Movement Scientist, Education Specialist

locomotion
locomotion





TilThermometer



- funded by social partners (translated by Arjo)
- online www.tilthermometer.com
- free of charge
- no log in (your data are not stored)
- based on EU expert guidelines for physical load (CEN ISO TR 12296)
- it takes about 15 minutes to assess a 25 bed ward
- in one year 17.600 unique users
- in English and Dutch (so far :)
- it provides reliable policy information (investment, staffing, training, equipment, etc.)


Increasing care load

% clients with mobility level C, D en E





Do we comply to the guidelines for powered high-low beds?

Results TilThermometer (n=12.544).





Do we comply to the guidelines for sliding sheets?

Results TilThermometer ($n=12.544$).




Do we comply to the guidelines for lifters?

Results TilThermometer ($n=12.544$).



Thank you! Please have a look at www.tilthermometer.com
and solve this serious (back) pain issue among our nurses!



STAG

A+O
VVT

StAZ
Stichting
Arbeidsmarkt
Ziekenhuizen



Hanneke JJ Knibbe Msc, RPT
Human Movement Scientist, Physiotherapist
Nico E Knibbe Msc.
Human Movement Scientist, Education Specialist

locomotion
locomotion